



中国检验认证集团
China Certification & Inspection Group



中国检验检疫科学研究院
Chinese Academy of Inspection and Quarantine



检科测试集团
CAIQTEST Group



230020343606

检验检测报告

INSPECTION AND TEST REPORT

报告编号: BJSHJ25000134

样品名称

有组织废气

检测类别

委托检测

报告日期

2025-03-11

中国检验检疫科学研究院 检验检测报告

CAIQTEST GROUP

重要声明

Important Statement

1. 本检验检测报告由报告封面和报告内容组成。无报告封面，以及报告内容不完整的，报告无效。

This test report consists of cover and contents. If the report has no cover or the contents is not complete, the report shall be invalid.

2. 检验检测报告封面和报告内容应加盖检验检测专用章，且不得有涂改和检验检测机构名称、资质等级、检验检测范围、地址等变更。

If the cover, contents or cover page places of the report is not stamped with the specified seal, the test is invalid. If there is any change on the stamp, address, qualification, etc., the signature is irregular, altered, changed or deleted, the report shall be invalid.

3. 检验检测报告应加盖检验检测机构公章，并加盖检验检测机构负责人签字、检验检测机构名称、检验检测范围、地址等变更。

The information of address and signature for this report is provided and confirmed by the client. If the client is responsible for the accuracy and completeness of the information.

4. 检验检测报告应加盖检验检测机构公章，并加盖检验检测机构负责人签字、检验检测机构名称、检验检测范围、地址等变更。

The test certificate only applicable to the samples as indicated by the client, and not provided by the client's reference.

5. 检验检测报告应加盖检验检测机构公章，并加盖检验检测机构负责人签字、检验检测机构名称、检验检测范围、地址等变更。

The test report without qualification, modification, logo (LOGO) shall have no function of proof in the market, and may be only used for internal control, management, internal quality control.

6. 检验检测报告应加盖检验检测机构公章，并加盖检验检测机构负责人签字、检验检测机构名称、检验检测范围、地址等变更。

Without the approval of the client, this report may not be reproduced, printed or reproduced in whole.

7. 检验检测报告应加盖检验检测机构公章，并加盖检验检测机构负责人签字、检验检测机构名称、检验检测范围、地址等变更。

Without the written consent of the client, this report may not be reproduced or reproduced in whole.

8. 检验检测报告应加盖检验检测机构公章，并加盖检验检测机构负责人签字、检验检测机构名称、检验检测范围、地址等变更。

If your laboratory is not a member of the client, please contact the client to obtain the test report. If you do not get the report, the report is not valid. If you do not get the report, the report is not valid. If you do not get the report, the report is not valid.

9. 检验检测报告应加盖检验检测机构公章，并加盖检验检测机构负责人签字、检验检测机构名称、检验检测范围、地址等变更。

地址：北京市通州区台湖镇台湖村村委会院内 1000700

Address: No.100 Taitou Village Road, Taitou, Beijing, 1000700

电话：010-6066-1111

传真：010-6066-1111

网址：www.taitou.com

微信号：www.taitou.com

检验检测报告

报告编号 (No.): BJSHJ25000134

共 3 页, 第 1 页

委托单位	北京绿色动力再生能源有限公司		
委托单位联系人	王晨		
委托单位联络信息	北京市密云区巨各庄镇水峪村南山沟		
受托单位	北京绿色动力再生能源有限公司		
采样地址	北京市密云区巨各庄镇水峪村南山沟		
样品名称	有组织废气	接收日期	2025年02月21日
包装情况	包装完好	样品规格/数量	采集于滤膜、气袋和吸收管
检测日期	2025年02月21日至2025年03月11日	样品性状	其他
检测依据	检测项目	检测方法	
	1.颗粒物	HJ 836-2017 固定污染源废气 低浓度颗粒物的测定 重量法	
	2.氨	HJ 533-2009环境空气和废气 氨的测定 纳氏试剂分光光度法	
	3.硫化氢、甲硫醇	GB/T 14678-1993空气质量 硫化氢、甲硫醇、甲硫醚和二甲二硫的测定 气相色谱法	
	4.臭气浓度	HJ 1262-2022环境空气和废气 臭气的测定 三点比较式臭袋法	
主检仪器设备信息	仪器名称	仪器编号	
	紫外可见分光光度计	JC20L237	
	恒温恒湿稳重系统	JC19L020	
	智能烟尘烟气分析仪	JC22L425/JC22L424	
	污染源采样器	JC18L156	
	气象仪	JC23L473	
	气相色谱仪	JC04Z005	
备注	1.样品浓度均小于方法检出限时,该检测数据标明“<检出限”,以方法检出限参与统计计算;样品浓度部分小于方法检出限时,以1/2方法检出限参加统计计算; 2.采样点位图详见附件。		
编制人	王新兰	审核人	王新兰
		批准人	



检验检测报告

报告编号 (No.): BJSHJ25000134

共 3 页, 第 2 页


检测结果							
样品标识	检测项目	单位	检测值				排放速率 (kg/h)
			第一次	第二次	第三次	平均值	
	标干流量	m³/h	14273	19974	19550	17932	/

餐厨粪便处 理厂废气排 放口 (DA004)	样品编号	/	BJSHJ250001 34004	BJSHJ250001 34005	BJSHJ250001 34006	/	/
	氨	mg/m³	<0.25	<0.25	<0.25	<0.25	<0.0045
	样品编号	/	BJSHJ250001 34001	BJSHJ250001 34002	BJSHJ250001 34003	/	/
	标干流量	m³/h	14273	19974	19550	17932	/
	颗粒物	mg/m³	<1.0	<1.0	<1.0	<1.0	<0.018
	氨	mg/m³	<0.25	<0.25	<0.25	<0.25	<0.0045

检验检测报告

报告编号 (No.): BJSHJ25000134

共 3 页, 第 2 页



—425-010—

